

Tourette syndrome

Description

Tourette syndrome is a complex disorder characterized by repetitive, sudden, and involuntary movements or noises called tics. Tics usually appear in childhood, and their severity varies over time. In most cases, tics become milder and less frequent in late adolescence and adulthood.

Tourette syndrome involves both motor tics, which are uncontrolled body movements, and vocal or phonic tics, which are outbursts of sound. Some motor tics are simple and involve only one muscle group. Simple motor tics, such as rapid eye blinking, shoulder shrugging, or nose twitching, are usually the first signs of Tourette syndrome. Motor tics also can be complex (involving multiple muscle groups), such as jumping, kicking, hopping, or spinning.

Vocal tics, which generally appear later than motor tics, also can be simple or complex. Simple vocal tics include grunting, sniffing, and throat-clearing. More complex vocalizations include repeating the words of others (echolalia) or repeating one's own words (palilalia). The involuntary use of inappropriate or obscene language (coprolalia) is possible, but uncommon, among people with Tourette syndrome.

In addition to frequent tics, people with Tourette syndrome are at risk for associated problems including attention-deficit/hyperactivity disorder (ADHD), obsessive-compulsive disorder (OCD), anxiety, depression, and problems with sleep.

Frequency

Although the exact incidence of Tourette syndrome is uncertain, it is estimated to affect 1 to 10 in 1,000 children. This disorder occurs in populations and ethnic groups worldwide, and it is more common in males than in females.

Causes

A variety of genetic and environmental factors likely play a role in causing Tourette syndrome. Most of these factors are unknown, and researchers are studying risk factors before and after birth that may contribute to this complex disorder. Scientists believe that tics may result from changes in brain chemicals (neurotransmitters) that are responsible for producing and controlling voluntary movements.

Variants (also called mutations) involving the *SLITRK1* gene have been identified in a small number of people with Tourette syndrome. This gene provides instructions for making a protein that is active in the brain. The *SLITRK1* protein probably plays a role in the development of nerve cells, including the growth of specialized extensions (axons and dendrites) that allow each nerve cell to communicate with nearby cells. It is unclear how variants in the *SLITRK1* gene can lead to this disorder.

Most people with Tourette syndrome do not have a variant in the *SLITRK1* gene. Because variants have been reported in so few people with this condition, the association of the *SLITRK1* gene with this disorder has not been confirmed. Researchers suspect that changes in other genes, which have not been identified, are also associated with Tourette syndrome.

[Learn more about the gene associated with Tourette syndrome](#)

- *SLITRK1*

Inheritance

The inheritance pattern of Tourette syndrome is unclear. Although the features of this condition can cluster in families, many genetic and environmental factors are likely to be involved. Among family members of an affected person, it is difficult to predict who else may be at risk of developing the condition.

Tourette syndrome was previously thought to have an autosomal dominant pattern of inheritance, which suggests that one altered copy of a gene in each cell would be sufficient to cause the condition. Several decades of research have shown that this is not the case. Almost all cases of Tourette syndrome probably result from a variety of genetic and environmental factors, not changes in a single gene.

Other Names for This Condition

- Chronic motor and vocal tic disorder
- Gilles de la Tourette syndrome
- Gilles de la Tourette's syndrome
- GTS
- TD
- Tourette disorder
- Tourette's disease
- TS

Additional Information & Resources

[Genetic Testing Information](#)

- Genetic Testing Registry: Tourette Syndrome (<https://www.ncbi.nlm.nih.gov/gtr/conditions/C0040517/>)

Genetic and Rare Diseases Information Center

- Tourette syndrome (<https://rarediseases.info.nih.gov/diseases/7783/index>)

Patient Support and Advocacy Resources

- National Organization for Rare Disorders (NORD) (<https://rarediseases.org/>)

Clinical Trials

- ClinicalTrials.gov ([https://clinicaltrials.gov/search?cond=%22Tourette syndrome%22](https://clinicaltrials.gov/search?cond=%22Tourette%20syndrome%22))

Catalog of Genes and Diseases from OMIM

- GILLES DE LA TOURETTE SYNDROME; GTS (<https://omim.org/entry/137580>)

Scientific Articles on PubMed

- PubMed (<https://pubmed.ncbi.nlm.nih.gov/?term=%28Tourette+Syndrome%5BMAJR%5D%29+AND+%28Tourette+syndrome%5BTIAB%5D%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+720+days%22%5Bdp%5D>)

References

- Abelson JF, Kwan KY, O'Roak BJ, Baek DY, Stillman AA, Morgan TM, Mathews CA, Pauls DL, Rasin MR, Gunel M, Davis NR, Ercan-Sencicek AG, Guez DH, Spertus JA, Leckman JF, Dure LS 4th, Kurlan R, Singer HS, Gilbert DL, Farhi A, Louvi A, Lifton RP, Sestan N, State MW. Sequence variants in SLITRK1 are associated with Tourette's syndrome. *Science*. 2005 Oct 14;310(5746):317-20. doi:10.1126/science.1116502. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/16224024>)
- Albin RL, Mink JW. Recent advances in Tourette syndrome research. *Trends Neurosci*. 2006 Mar;29(3):175-82. doi: 10.1016/j.tins.2006.01.001. Epub 2006 Jan 23. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/16430974>)
- Berardelli A, Curra A, Fabbrini G, Gilio F, Manfredi M. Pathophysiology oftics and Tourette syndrome. *J Neurol*. 2003 Jul;250(7):781-7. doi:10.1007/s00415-003-1102-4. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/12883917>)
- Hoekstra PJ, Anderson GM, Limburg PC, Korf J, Kallenberg CG, Minderaa RB.

Neurobiology and neuroimmunology of Tourette's syndrome: an update. *Cell Mol LifeSci*. 2004 Apr;61(7-8):886-98. doi: 10.1007/s00018-003-3320-4. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/15095010>)

- Jankovic J. Tourette's syndrome. *N Engl J Med*. 2001 Oct 18;345(16):1184-92. doi: 10.1056/NEJMra010032. No abstract available. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/11642235>)
- Keen-Kim D, Freimer NB. Genetics and epidemiology of Tourette syndrome. *J Child Neurol*. 2006 Aug;21(8):665-71. doi: 10.1177/08830738060210081101. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/16970867>)
- Leckman JF, Bloch MH, Scahill L, King RA. Tourette syndrome: the self undersiege. *J Child Neurol*. 2006 Aug;21(8):642-9. doi: 10.1177/08830738060210081001. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/16970864>)
- Leckman JF. Tourette's syndrome. *Lancet*. 2002 Nov 16;360(9345):1577-86. doi:10.1016/S0140-6736(02)11526-1. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/12443611>)
- Robertson MM. Tourette syndrome, associated conditions and the complexities oftreatment. *Brain*. 2000 Mar;123 Pt 3:425-62. doi: 10.1093/brain/123.3.425. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/10686169>)
- Singer HS. Tourette's syndrome: from behaviour to biology. *Lancet Neurol*. 2005 Mar;4(3):149-59. doi: 10.1016/S1474-4422(05)01012-4. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/15721825>)
- Swain JE, Scahill L, Lombroso PJ, King RA, Leckman JF. Tourette syndrome and tic disorders: a decade of progress. *J Am Acad Child Adolesc Psychiatry*. 2007 Aug;46(8):947-968. doi: 10.1097/chi.0b013e318068fbcc. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/17667475>)

Last updated April 17, 2023