

FUS gene

FUS RNA binding protein

Normal Function

The *FUS* gene provides instructions for making a protein that is found within the cell nucleus in most tissues and is involved in many of the steps of protein production.

The FUS protein attaches (binds) to DNA and regulates an activity called transcription, which is the first step in the production of proteins from genes. The FUS protein is also involved in processing molecules called messenger RNA (mRNA), which serve as the genetic blueprints for making proteins. By cutting and rearranging mRNA molecules in different ways, the FUS protein controls the production of different versions of certain proteins. This process is known as alternative splicing. Once the FUS protein processes the mRNA, it transports the mRNA out of the nucleus where it gets taken up by other cell structures to be further processed into a mature protein. The FUS protein also helps repair errors in DNA, which prevents cells from accumulating genetic damage.

Health Conditions Related to Genetic Changes

Amyotrophic lateral sclerosis

At least 85 mutations in the *FUS* gene have been found to cause amyotrophic lateral sclerosis (ALS), a condition characterized by progressive muscle weakness, a loss of muscle mass, and an inability to control movement. Most of these mutations change single protein building blocks in the FUS protein and often affect the region of the protein involved in DNA binding and mRNA processing. These mutations may interfere with the transport of mRNA out of the nucleus of cells. As a result, FUS protein and mRNA are trapped within cells and likely form clumps (aggregates), which have been found in nerve cells that control muscle movement (motor neurons) in some people with ALS. It is unclear if protein aggregates cause the nerve cell death that leads to ALS. People with ALS caused by mutations in the *FUS* gene tend to develop the disease at a younger age and have a decreased life expectancy compared with individuals who have sporadic ALS or ALS caused by mutations in other genes.

Rarely, people with ALS caused by *FUS* gene mutations also develop a condition called frontotemporal dementia (FTD), which is a progressive brain disorder that affects personality, behavior, and language. It is unclear why some people with *FUS* gene mutations develop FTD and others do not. Individuals who develop both conditions are

diagnosed as having ALS-FTD.

Ewing sarcoma

MedlinePlus Genetics provides information about Ewing sarcoma

Cancers

Specific mutations involving the *FUS* gene are involved in several types of cancer. The mutations that cause these tumors are acquired during a person's lifetime and are present only in the tumor cells. This type of genetic change, called a somatic mutation, is not inherited. Most commonly, mutations in this gene are found in tumors called soft tissue sarcomas, which develop in bones or in soft tissues such as nerves or cartilage. *FUS* gene mutations have also been found in myxoid liposarcomas, which occur in fatty tissues of the body, and in cancer of the blood-forming cells in the bone marrow called acute myeloid leukemia (AML). The genetic changes associated with these cancers are rearrangements (translocations) of genetic material between chromosome 16 (where the *FUS* gene is located) and other chromosomes. These translocations break chromosome 16 in the middle of the *FUS* gene and fuse it with another gene on a different chromosome, creating a fusion gene. Fusion genes usually have partial function of both genes involved. The *FUS* gene promotes DNA transcription and protein production, which helps promote cell growth; this gene might fuse with another gene that could allow cell growth to continue at a rapid pace. When cell growth is left uncontrolled, cancer can develop.

Other Names for This Gene

- ALS6
- ETM4
- FUS1
- FUS_HUMAN
- fused in sarcoma
- heterogeneous nuclear ribonucleoprotein P2
- hnRNP-P2
- HNRNPP2
- oncogene FUS
- oncogene TLS
- POMP75
- RNA-binding protein FUS
- TLS
- translocated in liposarcoma protein

Additional Information & Resources

Tests Listed in the Genetic Testing Registry

- Tests of FUS ([https://www.ncbi.nlm.nih.gov/gtr/all/tests/?term=2521\[geneid\]](https://www.ncbi.nlm.nih.gov/gtr/all/tests/?term=2521[geneid]))

Scientific Articles on PubMed

- PubMed (<https://pubmed.ncbi.nlm.nih.gov/?term=%28%28FUS%5BTI%5D%29+OR+%28TLS%5BTI%5D%29%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+1080+days%22%5Bdp%5D%29%29%29>)

Catalog of Genes and Diseases from OMIM

- FUS RNA-BINDING PROTEIN; FUS (<https://omim.org/entry/137070>)

Gene and Variant Databases

- NCBI Gene (<https://www.ncbi.nlm.nih.gov/gene/2521>)
- ClinVar ([https://www.ncbi.nlm.nih.gov/clinvar?term=FUS\[gene\]](https://www.ncbi.nlm.nih.gov/clinvar?term=FUS[gene]))

References

- Coady TH, Manley JL. ALS mutations in TLS/FUS disrupt target gene expression. *Genes Dev.* 2015 Aug 15;29(16):1696-706. doi: 10.1101/gad.267286.115. Epub 2015Aug 6. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/26251528>) or Free article on PubMed Central (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4561479/>)
- Crozat A, Aman P, Mandahl N, Ron D. Fusion of CHOP to a novel RNA-binding protein in human myxoid liposarcoma. *Nature.* 1993 Jun 17;363(6430):640-4. doi:10.1038/363640a0. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/8510758>)
- Deng H, Gao K, Jankovic J. The role of FUS gene variants in neurodegenerative diseases. *Nat Rev Neurol.* 2014 Jun;10(6):337-48. doi: 10.1038/nrneurol.2014.78. Epub 2014 May 20. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/24840975>)
- Hewitt C, Kirby J, Highley JR, Hartley JA, Hibberd R, Hollinger HC, Williams TL, Ince PG, McDermott CJ, Shaw PJ. Novel FUS/TLS mutations and pathology in familial and sporadic amyotrophic lateral sclerosis. *Arch Neurol.* 2010 Apr;67(4):455-61. doi: 10.1001/archneurol.2010.52. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/20385912>)
- Panagopoulos I, Storlazzi CT, Fletcher CD, Fletcher JA, Nascimento A,

Domanski HA, Wejde J, Brosjo O, Rydholm A, Isaksson M, Mandahl N, Mertens F. The chimeric FUS/CREB3L2 gene is specific for low-grade fibromyxoid sarcoma. *Genes Chromosomes Cancer*. 2004 Jul;40(3):218-28. doi: 10.1002/gcc.20037. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/15139001>)

- Schwartz JC, Podell ER, Han SS, Berry JD, Eggan KC, Cech TR. FUS is sequestered in nuclear aggregates in ALS patient fibroblasts. *Mol Biol Cell*. 2014 Sep 1;25(17):2571-8. doi: 10.1091/mbc.E14-05-1007. Epub 2014 Jul 9. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/25009283>) or Free article on PubMed Central (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4148247/>)
- Storlazzi CT, Mertens F, Nascimento A, Isaksson M, Wejde J, Brosjo O, Mandahl N, Panagopoulos I. Fusion of the FUS and BFBF2H7 genes in low grade fibromyxoid sarcoma. *Hum Mol Genet*. 2003 Sep 15;12(18):2349-58. doi: 10.1093/hmg/ddg237. Epub 2003 Jul 22. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/12915480>)
- Vance C, Rogelj B, Hortobagyi T, De Vos KJ, Nishimura AL, Sreedharan J, Hu X, Smith B, Ruddy D, Wright P, Ganesalingam J, Williams KL, Tripathi V, Al-Saraj S, Al-Chalabi A, Leigh PN, Blair IP, Nicholson G, de Belleruche J, Gallo JM, Miller CC, Shaw CE. Mutations in FUS, an RNA processing protein, cause familial amyotrophic lateral sclerosis type 6. *Science*. 2009 Feb 27;323(5918):1208-1211. doi: 10.1126/science.1165942. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/19251628>) or Free article on PubMed Central (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC4516382/>)
- Wang X, Arai S, Song X, Reichart D, Du K, Pascual G, Tempst P, Rosenfeld MG, Glass CK, Kurokawa R. Induced ncRNAs allosterically modify RNA-binding proteins in cis to inhibit transcription. *Nature*. 2008 Jul 3;454(7200):126-30. doi: 10.1038/nature06992. Epub 2008 May 28. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/18509338>) or Free article on PubMed Central (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC2823488/>)

Genomic Location

The *FUS* gene is found on chromosome 16 (<https://medlineplus.gov/genetics/chromosome/16/>).

Last updated March 1, 2016