

## ZNF341 gene

zinc finger protein 341

### Normal Function

The *ZNF341* gene provides instructions for making a transcription factor, which is a protein that attaches (binds) to specific regions of DNA and helps control the activity of particular genes. The ZNF341 protein is thought to regulate the activity of the *STAT1* and *STAT3* genes, controlling production of the STAT1 and STAT3 proteins, respectively. Both proteins are involved in the immune system. They control pathways in cells that help fight foreign invaders such as viruses, bacteria, and fungi. The STAT3 protein, in particular, transmits signals for the maturation of immune system cells, especially T cells and B cells. STAT3 is also involved in normal development and maintenance of bones and other tissues.

Researchers suspect that the ZNF341 protein controls the activity of other genes, although they have not been identified.

### Health Conditions Related to Genetic Changes

#### Autosomal dominant hyper-IgE syndrome

At least five mutations in the *ZNF341* gene have been found to cause a condition similar to autosomal dominant hyper-IgE syndrome (AD-HIES), which is a disorder of the immune system characterized by recurrent skin and lung infections and abnormally high levels of an immune system protein called immunoglobulin E (IgE) in the blood. AD-HIES is usually caused by *STAT3* gene mutations and follows an autosomal dominant pattern of inheritance, which means one altered copy of the gene is sufficient to cause the disorder. In contrast, the condition caused by *ZNF341* gene mutations follows an autosomal recessive pattern of inheritance, which means both copies of the gene must be altered for immune system problems to develop.

The *ZNF341* gene mutations that cause an AD-HIES-like condition result in production of an abnormally short ZNF341 protein or production of no protein. With little or no ZNF341 protein, production of the STAT1 and STAT3 proteins is impaired. A shortage of functional STAT3 blocks the maturation of T cells (specifically a subset known as Th17 cells) and other immune cells. The resulting immune system abnormalities make people with AD-HIES highly susceptible to infections, particularly bacterial and fungal infections of the lungs and skin. A shortage of STAT1 protein is not thought to contribute

to immune system problems in affected individuals.

## Other Names for This Gene

- ZNF341 gene

## Additional Information & Resources

### Tests Listed in the Genetic Testing Registry

- Tests of ZNF341 ([https://www.ncbi.nlm.nih.gov/gtr/all/tests/?term=84905\[geneid\]](https://www.ncbi.nlm.nih.gov/gtr/all/tests/?term=84905[geneid]))

### Scientific Articles on PubMed

- PubMed (<https://pubmed.ncbi.nlm.nih.gov/?term=%28%28ZNF341%5BTIAB%5D%29+OR+%28zinc+finger+protein+341%5BTIAB%5D%29%29+OR+%28ZNF341+gene%5BTIAB%5D%29+AND+%28%28Genes%5BMH%5D%29+OR+%28Genetic+Phenomena%5BMH%5D%29%29+AND+english%5Bla%5D+AND+human%5Bmh%5D+AND+%22last+3600+days%22%5Bdp%5D%29%29%29>)

### Catalog of Genes and Diseases from OMIM

- ZINC FINGER PROTEIN 341; ZNF341 (<https://omim.org/entry/618269>)

### Gene and Variant Databases

- NCBI Gene (<https://www.ncbi.nlm.nih.gov/gene/84905>)
- ClinVar ([https://www.ncbi.nlm.nih.gov/clinvar?term=ZNF341\[gene\]](https://www.ncbi.nlm.nih.gov/clinvar?term=ZNF341[gene]))

## References

- Beziat V, Li J, Lin JX, Ma CS, Li P, Bousfiha A, Pellier I, Zoghi S, Baris S, Keles S, Gray P, Du N, Wang Y, Zerbib Y, Levy R, Leclercq T, About F, Lim AI, Rao G, Payne K, Pelham SJ, Avery DT, Deenick EK, Pillay B, Chou J, Guery R, Belkadi A, Guerin A, Migaud M, Rattina V, Ailal F, Benhsaien I, Bouaziz M, Habib T, Chaussabel D, Marr N, El-Benna J, Grimbacher B, Wargon O, Bustamante J, Boisson B, Muller-Fleckenstein I, Fleckenstein B, Chandesris MO, Titeux M, Fraitag S, Alyanekian MA, Leruez-Ville M, Picard C, Meyts I, Di Santo JP, Hovnanian A, Somer A, Ozen A, Rezaei N, Chatila TA, Abel L, Leonard WJ, Tangye SG, Puel A, Casanova JL. A recessive form of hyper-IgE syndrome by disruption of ZNF341-dependent STAT3 transcription and activity. *Sci Immunol*. 2018 Jun 15;3(24):eaat4956. doi:10.1126/sciimmunol.aat4956. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/29907691>) or Free article on PubMed Central (<https://www.ncbi.nlm.nih.gov/pmc/articles/PM>)

C6141026/)

- Frey-Jakobs S, Hartberger JM, Fliegau M, Bossen C, Wehmeyer ML, Neubauer JC, Bulashevskaya A, Proietti M, Froebel P, Noltner C, Yang L, Rojas-Restrepo J, Langer N, Winzer S, Engelhardt KR, Glocker C, Pfeifer D, Klein A, Schaffer AA, Lagovskiy I, Lachover-Roth I, Beziat V, Puel A, Casanova JL, Fleckenstein B, Weidinger S, Kilic SS, Garty BZ, Etzioni A, Grimbacher B. ZNF341 controls STAT3 expression and thereby immunocompetence. *Sci Immunol*. 2018 Jun 15;3(24):eaat4941. doi:10.1126/sciimmunol.aat4941. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/29907690>) or Free article on PubMed Central (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6173313/>)
- Zhang Q, Boisson B, Beziat V, Puel A, Casanova JL. Human hyper-IgE syndrome: singular or plural? *Mamm Genome*. 2018 Aug;29(7-8):603-617. doi:10.1007/s00335-018-9767-2. Epub 2018 Aug 9. Citation on PubMed (<https://pubmed.ncbi.nlm.nih.gov/30094507>) or Free article on PubMed Central (<https://www.ncbi.nlm.nih.gov/pmc/articles/PMC6317873/>)

## Genomic Location

The *ZNF341* gene is found on chromosome 20 (<https://medlineplus.gov/genetics/chromosome/20/>).

**Last updated August 1, 2019**